

# Spring rebate. Buy now!

D)

Save big March 1 – May 31, 2024



## **BONUS OPPORTUNITIES**

Purchase across two categories for 10% Bonus Purchase across three categories for 15% Bonus



\*Checks will only be issued for rebates over \$75. By Federal law restricts this drug to use by or on the order of a licensed veterinarian.

## CATTLE FIRST REWARDS SPRING PRODUCER REBATE OFFER

|             | SKU    | Product  | Size   | Units<br>Purchased |   | Amount<br>Discounted<br>Per Unit | Product Rebate<br>Earned |
|-------------|--------|--|--------|--------------------|---|----------------------------------|--------------------------|
|             | 139938 | Pyramid <sup>®</sup> 5 + Presponse <sup>®</sup> SQ (50 dose) | 100 mL |                    | × | \$10.00 =                        | \$                       |
|             | 139937 | Pyramid <sup>®</sup> 5 + Presponse <sup>®</sup> SQ (10 dose) | 20 mL  |                    | × | \$2.00 =                         | \$                       |
|             | 139930 | Pyramid <sup>®</sup> 5 (50 dose)                             | 100 mL |                    | × | \$7.00 =                         | \$                       |
|             | 139929 | Pyramid <sup>®</sup> 5 (10 dose)                             | 20 mL  |                    | × | \$2.00 =                         | \$                       |
| -           | 139923 | Presponse <sup>®</sup> SQ (50 dose)                          | 100 mL |                    | × | \$8.00 =                         | \$                       |
| ΥA          | 139922 | Presponse® SQ (10 dose)                                      | 20 mL  |                    | × | \$2.00 =                         | \$                       |
| CATEGORY    | 136272 | Express <sup>®</sup> 5                                       | 100 mL |                    | × | \$3.50 =                         | \$                       |
| S<br>S<br>S | 136271 | Express <sup>®</sup> 5                                       | 20 mL  |                    | × | \$1.00 =                         | \$                       |
| CAT         | 136274 | Express <sup>®</sup> 5-HS                                    | 100 mL |                    | × | \$6.00 =                         | \$                       |
| 0           | 136273 | Express <sup>®</sup> 5-HS                                    | 20 mL  |                    | × | \$1.00 =                         | \$                       |
|             | 137465 | Express <sup>®</sup> FP 10 HB (50 dose)                      | 100 mL |                    | × | \$7.00 =                         | \$                       |
|             | 137463 | Express <sup>®</sup> FP 1 HB (10 dose)                       | 20 mL  |                    | × | \$2.00 =                         | \$                       |
|             | 138809 | Express <sup>®</sup> FP 5-VL5 HB (50 dose)                   | 100 mL |                    | × | \$7.00 =                         | \$                       |
|             | 138808 | Express <sup>®</sup> FP 5-VL5 HB (10 dose)                   | 20 mL  |                    | × | \$1.50 =                         | \$                       |
|             | 138785 | Express <sup>®</sup> FP 3-VL5 HB (50 dose)                   | 100 mL |                    | × | \$5.00 =                         | \$                       |
|             | 138784 | Express <sup>®</sup> FP 3-VL HB (10 dose)                    | 20 mL  |                    | × | \$1.00 =                         | \$                       |
|             |        |  |        |                    |   |                                  |                          |

#### CATEGORY A TOTAL: \$

| CATEGORY B | SKU    | Product   | Size        | Units<br>Purchased |   | Amount<br>Discounted<br>Per Unit |       | Product Rebate<br>Earned |
|------------|--------|---|-------------|--------------------|---|----------------------------------|-------|--------------------------|
|            | 182468 | ToDAY® (cephapirin sodium) 👳  | Pail of 144 |                    | × | \$40.00                          | =     | \$                       |
|            | 182470 | ToMORROW® (cephapirin benzathine) 👳   | Pail of 144 |                    | × | \$32.00                          | =     | \$                       |
|            | 111534 | Dry-Clox® (cloxacillin benzathine) 💿  | Pail of 144 |                    | × | \$30.00                          | =     | \$                       |
|            | 181673 | Lockout <sup>®</sup> teat sealant   | Pail of 144 |                    | × | \$40.00                          | =     | \$                       |
|            | 159883 | Polyflex $^{\circ}$ (ampicillin for injectable suspension) $^{oldsymbol{10}}$ | 25 g        |                    | × | \$10.00                          | =     | \$                       |
|            | 182466 | Bio-Mycin® 200 (oxytetracycline) 🐵  | 500 mL      |                    | × | \$5.00                           | =     | \$                       |
|            |        |   |             |                    | ~ |                                  | TOTAL | ¢                        |

CATEGORY B TOTAL: \$

**TODAY RESIDUE WARNINGS:** Milk that has been taken from animals during treatment and for 96 hours after the last treatment must not be used for food. Treated animals must not be slaughtered for food until four days after the last treatment. Administration of more than the prescribed dose may lead to residue of antibiotic in milk longer than 96 hours.

**TOMORROW RESIDUE WARNINGS:** For use in dry cows only. Not to be used within 30 days of calving. Milk from treated cows must not be used for food during the first 72 hours after calving. Any animal infused with this product must not be slaughtered for food until 42 days after the latest infusion.

**DRY-CLOX RESIDUE WARNINGS:** For use in dry cows only. Not to be used within 30 days of calving. Any animal infused with this product must not be slaughtered for food until 30 days after the latest infusion. Precautions: Because it is a derivative of 6-aminopenicillanic acid, DRY-CLOX has the potential for producing allergic reactions. Such reactions are rare; however, should they occur, the subject should be treated with antihistamines or pressor amines, such as epinephrine.

LOCKOUT WITHDRAWAL INFORMATION: LOCKOUT requires no milk or pre-slaughter withdrawal when used alone. If dry cow treatment is used in conjunction with LOCKOUT, follow recommended antibiotic withdrawal times per the label.

**POLYFLEX RESIDUE WARNING:** Do not treat cattle for more than 7 days. Milk from treated cows must not be used for food during treatment, and for 48 hours (4 milkings) after the last treatment. Cattle must not be slaughtered for food during treatment, and for 144 hours (6 days) after the last treatment.

|          | SKU    | Product                            | Size       | Units<br>Purchased |   | Amount<br>Discounted<br>Per Unit |        | Product Rebate<br>Earned |
|----------|--------|------------------------------------|------------|--------------------|---|----------------------------------|--------|--------------------------|
|          | 138554 | Bovikalc®                          | Case of 48 |                    | × | \$20.00                          | =      | \$                       |
| U        | 138587 | Bovikalc®                          | Box of 4   |                    | × | \$2.00                           | =      | \$                       |
| RY       | 150695 | Bovikalc <sup>®</sup> Dry          | Case of 48 |                    | × | \$22.00                          | =      | \$                       |
| CATEGORY | 181558 | Bovikalc <sup>®</sup> Dry          | Box of 4   |                    | × | \$2.00                           | =      | \$                       |
| ΔTE      | 142120 | Cystorelin® (gonadorelin) 💿        | 100 mL     |                    | × | \$6.00                           | =      | \$                       |
| C C      | 142119 | Cystorelin® (gonadorelin) 💩        | 50 mL      |                    | × | \$3.00                           | =      | \$                       |
|          | 126632 | Cystorelin® (gonadorelin) 🐵        | 30 mL      |                    | × | \$3.00                           | =      | \$                       |
|          | 126568 | Cystorelin® (gonadorelin) 💿        | 10 mL      |                    | × | \$1.00                           | =      | \$                       |
|          | 126678 | Synchsure® (cloprostenol sodium) 🕸 | 100 mL     |                    | × | \$6.00                           | =      | \$                       |
|          |        |                                    |            |                    | С | ATEGORY C                        | TOTAL: | \$                       |

Amount Discounted Per Unit Units **Product Rebate** SKU Product Size Purchased Earned LongRange<sup>®</sup> (eprinomectin) 🐵 500 mL 126869 \$40.00 = \$ × 250 mL \$ \$20.00 126868 LongRange® (eprinomectin) 💿 × = 147412 100 mL \$10.00 \$ LongRange<sup>®</sup> (eprinomectin) 🐵 × = 160025 \$18.00 \$ Ivomec® Plus (ivermectin and clorsulon) 1 L × = 160024 Ivomec® Plus (ivermectin and clorsulon) 500 mL \$12.00 \$ × = 160023 Ivomec<sup>®</sup> Plus (ivermectin and clorsulon) 200 mL \$8.00 \$ × = CATEGORY D 160022 Ivomec® Plus (ivermectin and clorsulon) 50 mL \$3.00 = \$ × 126613 Ivomec<sup>®</sup> Pour On (ivermectin topical solution) 20 L × \$50.00 = Ś 5 L \$ 126628 Ivomec<sup>®</sup> Pour On (ivermectin topical solution) × \$16.00 = 126627 Ivomec® Pour On (ivermectin topical solution) 2.5 L \$11.00 = \$ × \$ 126626 Ivomec® Pour On (ivermectin topical solution) 1 L \$6.50 × = 126625 250 mL \$2.50 \$ Ivomec<sup>®</sup> Pour On (ivermectin topical solution) × = \$105.00 \$ 126619 Eprinex<sup>®</sup> (eprinomectin) 20 L × = 154210 Eprinex<sup>®</sup> (eprinomectin) 10 L × \$60.00 = \$ 126622 5 L \$37.50 Ś Eprinex<sup>®</sup> (eprinomectin) × = 126624 Eprinex<sup>®</sup> (eprinomectin) 2.5L \$15.00 = \$ × 1 L 126865 Eprinex<sup>®</sup> (eprinomectin) × \$8.00 \$ = 126623 250 mL \$ Eprinex® (eprinomectin) × \$2.50 =

#### CATEGORY D TOTAL: \$


| CATEGORY E | SKU      | Product  | Size   | Units<br>Purchased |      | Amount<br>Discounted<br>Per Unit |        | Product Rebate<br>Earned |
|------------|----------|--|--------|--------------------|------|----------------------------------|--------|--------------------------|
|            | 164951   | Synanthic <sup>®</sup> 22.5% (oxfendazole oral suspension) | 4 L    |                    | ×    | \$50.00                          | =      | \$                       |
|            | 139948   | Synanthic <sup>®</sup> 22.5% (oxfendazole oral suspension) | 1 L    |                    | ×    | \$14.00                          | =      | \$                       |
|            | 139947   | Synanthic <sup>®</sup> 22.5% (oxfendazole oral suspension) | 500 mL |                    | ×    | \$7.00                           | =      | \$                       |
|            |          |  |        |                    | С    | ATEGORY E                        | TOTAL: | \$                       |
|            | TOTAL BA | ASE REBATE EARNED  |        | т                  | OTAL | REBATE EAR                       | RNED   | \$                       |
|            |          |  |        |                    |      |                                  |        |                          |

CYSTORELIN IMPORTANT SAFETY INFORMATION: Do not use in humans. Keep this and all drugs out of the reach of children.

SYNCHSURE IMPORTANT SAFETY INFORMATION: For animal use only, not for human use. Keep out of reach of children. Women of childbearing age, asthmatics and persons with bronchial and other respiratory problems should exercise extreme caution when handling this product. In the early stages, women may be unaware of their pregnancies. SYNCHSURE is readily absorbed through the skin and may cause abortion and/or bronchospasms: Direct contact with the skin should therefore be avoided. Accidental spillage on the skin should be washed off immediately with soap and water.

**LONGRANGE IMPORTANT SAFETY INFORMATION:** Do not treat within 48 days of slaughter. Not for use in female dairy cattle 20 months of age or older, including dry dairy cows, or in veal calves. Post-injection site damage (e.g., granulomas, necrosis) can occur. These reactions have disappeared without treatment. Not for use in breeding bulls, or in calves less than 3 months of age. Not for use in cattle managed in feedlots or under intensive rotational grazing.

### BONUS REBATE: Buy from multiple product categories to increase rebate





#### **1. TEXT or WEBSITE DIRECT**

For faster redemption and multiple payment options, text SPRING2024 to 73876 to receive a direct link to the rebate portal.\*

# You can also visit the website directly at www.CattleFirstProducer.com



\*Message and data rates may apply.

#### 2. MAIL

Download this form and submit completed form along with proof of purchase (invoice) via mail to:

Boehringer Ingelheim Rebates Promo #: R12834 P.O. Box 2816 Grand Rapids, MN 55745-2816

Multiple web or mail submissions will be accepted, and multiple proofs of purchase can be used on each submission. One rebate will be calculated per submission. Bonus offers will be calculated for all invoices included on each submission, and will not be calculated across multiple submissions. Producers who submit any rebates via mail or web will not be eligible for rebates on EDI transactions.

#### 3. EDI

If purchasing from an electronic reporting (EDI) entity, all data will be aggregated and processed at the end of the program for payment. Please allow 45 days from the end of the promotion for processing.

| Name*           | City*       |
|-----------------|-------------|
| Business Name   | State* Zip* |
| Street Address* | Email       |

\*Required fields

By providing your email address, you agree to receive special offers and information from Boehringer Ingelheim via email.

To better understand our commitment to privacy, please see our Privacy Policy at <u>bit.ly/3p9XrAO</u>.

## **Program Details**

- Only producers are eligible for this program.
- The Boehringer Ingelheim Qualifying Products shown here are included in the program.
- Only Qualifying Product purchases from March 1st May 31st, 2024 ("Program Period"), will qualify.
  Redemptions must be submitted or postmarked by June 30, 2024, to qualify.
  - Rebates on Qualifying Products that are on back order and ship during the Program Term will be awarded when the back order is shipped and invoiced. Products that are on back order and do not ship during the Program Term will not qualify for any Rebate in this Program.
- All redemption requests must include valid proof of purchase (invoice). Invoice(s) must clearly show:
  - 1. Qualifying Product name and the quantity of items purchased.
  - 2. Purchase dates for all Qualifying Products.
  - 3. Name of company where Qualifying Products were purchased.
  - 4. The price paid per Qualifying Product.
  - 5. Invoice total.
- Multiple web or mail submissions will be accepted, and multiple proofs of purchase can be used on each submission.
- One rebate will be calculated per submission.
- Bonus offers will be calculated for all invoices included on each submission, and will not be calculated across multiple submissions.
- Producers who submit any coupons via mail or web will not be eligible for rebates on EDI transactions.
- Allow six weeks for processing following submission.
- This promotional-incentive rebate is offered for sales in support of the Boehringer Ingelheim independently driven business plan.
- Boehringer Ingelheim reserves the right to end or modify the program, in whole or in part (including the removal or addition of Qualifying Products or product lines), at any time without notice.
- Producers enrolled in special Boehringer Ingelheim pricing programs are NOT eligible for this rebate offer.
- All sales must be INVOICED in the Program Period in order to be eligible for a rebate.
- Rebates will only be issued for amounts over \$75.
- Fraudulent submissions (including any alteration/manipulation of rebate submission form or rebate submission receipt) may result in prosecution under applicable federal law, as well as rejection of rebate request.
- If a Producer returns any Qualifying Product purchased during the Program Term that impacts the minimum purchase amount, Boehringer Ingelheim may (in its sole discretion) deduct the difference from any other rebates earned during the Program Term. Returns of Qualifying Products purchased during the Program Term may be credited at 85% of the original purchase price.
- To review the status of your submission, please contact us toll free at (888) 419-6407, Monday Friday, 7am to 7pm, and Saturday, 9am to 5pm CT (U.S. national holidays excluded), or email BICattleEscalations@apfco.com.
- Void where prohibited by law, subject to tax, or otherwise restricted.
- If these Terms and Conditions are not met, the rebate will not be honored or acknowledged.

Offers only good while supplies last.

For questions, contact your local Boehringer Ingelheim territory manager.